

## APK-TU


Order No.: 5022805

The illustration shows a combination of versions APK 1, APK-HP and APK -TU

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=5022805>

Cover profile holder, 10 mm wide, for mounting on NS 32 or NS 35/7.5, for fixing the holding profile APK-HP, labeling with Zack strip ZB 10

### Commercial data

GTIN (EAN)	 4 017918 095307
sales group	B232
Pack	10 pcs.
Customs tariff	39162000
Catalog page information	Page 704 (CL-2009)

### Product notes

WEEE/RoHS-compliant since:  
01/01/2003

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

Width (a)	10 mm
Color	gray
Inflammability class acc. to UL 94	V2
Ambient temperature (operation)	-40 °C ... 115 °C


---

Components	free from silicone and halogen
Material	PA

---

**Diagrams/Drawings**

Dimensioned drawing



**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;